
Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023

BULLETIN No. 5

LUFKIN FOUNDRY & MACHINE COMPANY
LUFKIN

Foot Sheaves, Idlers, Sprockets, Etc.



"LONG LIFE" ROUND LINK CHAIN


We make these sheaves, idlers, etc. to suit all requirements.

USUAL SIZES FOR LOG CHAINS


Size of Steel	Length Inside of Link	Width Inside of Link	Approx. Weight Per 100 ft.
1	6	1 5/8	800
1 1/8	6	1 5/8	1025
1 1/8	7	1 5/8	960
1 1/4	8	2	1220




FLANGED FOOT SHEAVE



PLAIN FOOT SHEAVE




RETURN IDLER



EXPANSION SPROCKETS—STEEL TEETH

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023




LOG CHAIN BRACKETS


Cast Iron, Semi-Steel or Cast Steel

BRACKETS 10" or 12" WIDE CHILLED BOTTOMS


Made to fit any size chain. We have a great variety of these patterns and meet most any requirement.



STANDARD BRACKET




SPECIAL FOUR-POINT BRACKET



SPECIAL BRACKET-FORMING LINK OF CHAIN

Made of cast steel, chain being made in sections. This plan obviates the "hinge wear" on the links each side of the bracket owing to the weight of the bracket dangling on the chain, the wear all coming on the rivets in this bracket.

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023



ANOTHER VIEW OF PEAVY-BYRNES LUMBER CO. MILL AT KINDER, LA.

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023

A VIEW OF OUR PATTERN SHOP

Equipped with Modern Tools.
Our System of Pattern Numbers and Records
is Unsurpassed



Our Designing Department is in charge of competent saw mill engineers--men of experience--especially from actual contact in the mills during construction and operation, and from their results of field operations our machinery has been developed.

We have a complete system of storing drawings, with duplicates, in fireproof vault, so that our customers need have no fear of our losing records of their mill machinery.