Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023

BULLETIN No. 9.

LUFKIN FOUNDRY & MACHINE COMPANY
LUFKIN

CARRIAGE APPLIANCES

SAVING OF ONE WRECK WILL PAY FOR THEM



WE RECOMMEND TWO AT EACH END OF CARRIAGE RUN

LUFKIN PNEUMATIC BUFFER
ALWAYS COMES OUT

Made in Three Sizes 10" x 16", 16" x 20", and 20" x 30"

COMPRESSES AIR BEHIND AND CREATES VACUUM IN FRONT OF PISTON.
THIS BUFFER HAS MANY NEW FEATURES THAT ARE PRACTICAL AND IMPORTANT.
NOTE—OILING CUP ON TOP AND METHOD OF ATTACHING SPRING.
THIS IS THE HEAVIEST BUFFER ON THE MARKET.

AN IMPROVED SPRING CARRIAGE BUMPER



LUFKIN SPRING BUMPER

This spring bumper, while not possessing all the good points of the air cushion, is still an excellent substitute, and has been used with great success in a large number of mills. It is a great improvement over the ordinary spring bumper in several important points. Heavy castings are provided to fasten to the timber and are bored for the bolts so they cannot enlarge the hole in the timber—the front plate is made of 1x7 inch steel, and ties all springs together and keeps them in line. Users are pleased with them. They are economical as well as effective.

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023



RELIANCE OR BOSS DOG
Ready to Apply to Knee



McDONOUGH TYPE DOG
Assembled Ready to Be Placed in Knee

We furnish either Dog to our Knees or can apply to any other make of knee with very little trouble. The McDonough Dog can be applied to other makes of knees by the use of special brackets.



LUFKIN HAMMER DOG

Can be applied to any make of knee. They will be found very satisfactory especially in mills cutting timber or canting for a gang, they are indispensable.

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023



CARRIAGE TRUCKS

To Fit any Carriage or Track.

We are prepared to furnish on short notice trucks with steel wheels up to 20 inch diameter to fit any make of carriage. We can furnish, if preferred, flat wheels of chilled iron. Both flat and "V" wheels are pressed on and riveted except where gears or off-set parts are applied to axle, in which case the flat wheel is pressed on and keyed. All wheels have extra heavy rims.



BOX WITH RENEWABLE BRASS LINER

We are prepared to furnish brass lined truck boxes, as illustrated. They are a wonderful improvement over the plain box; you simply jack up the carriage frame three-quarters of an inch, slip out the old brass and replace with new one, instead of turning the carriage upside down to rebabbitt the boxes. Ample facilities are made for oiling. We can also furnish the regular babbitt boxes, but do not recommend them.



We can furnish regular standard carriage track and carry a large stock. Also track made of railroad steel, per illustrations.

Copied from an original at The History Center, Diboll, TX. www.TheHistoryCenterOnline.com 2013:023



LUFKIN AUTOMATIC OFFSET—MOST POSITIVE, QUICK ACTING, WILL OFFSET IN ⅓ REV. OF WHEEL. THE MOST SIMPLE IN CONSTRUCTION. PERFECT SAWING ASSURED.



ZIMMERMAN WHEEL GUARD AND TRACK CLEANER

We can furnish these for any size wheel. Give number of trucks on carriage, size wheels, state whether web center or spoke design, also if iron or steel.



AUTOMATIC CARRIAGE COUPLING

In ordering give width of carriage frame, size of timbers—diam. of pinion or set shaft.

Saws are cast steel.